

# Power Supply

System Configuration				
Device Configuration		Manufacturer	Model No.	Spec.
	Processor	AMD	Athlon™ 64 Processor 3800+	FSB 200
	Memory	Transcend	SEC K4H280838D-TCB3	DDR333 /256MBX1
	VGA Card	MSI	MS-8815 Ver:1	
	Lan Card	Onboard(Realtek)	RTL 8110S	1Gbps
	Sound Card	Onboard(Realtek)	ALC850	8CH
	Hard Drive	Maxtor	6E030L0 DiamondMax Plus 8	ATA 133 / 30GB
	CD-ROM	ASUS	CD-S500-A	50X
	Floppy Drive	Mitsumi	D353M3	1.44MB
	Power Supply	AS Follows		
	Mouse	Acer	M-S69	PS/2
	Keyboard	Acer	6511-CX	PS/2
Monitor	Viewsonic	G773	17" CRT	
SW Info	VGA BIOS	3.15.00.07		
	VGA Driver	2.9.5.8		

	Model	Result	Remarks
Aopen	FSP350-60PN	OK	
DELTA	DPS-300KB-1 A	OK	
Deer	LC-B400ATX	OK	
Enemax	EG365P-VE 350W	OK	
	EG465P-VE 431W	OK	
Enhance	ATX-1125BTA R300	OK	
	ATX-1140H	OK	
	ATX-1136H	OK	
FSP	FSP250-60GTA	OK	
	FSP300-60PN	OK	
	FSP300-60ATV	OK	
	FSP300-60PLN	OK	
Golden	Field ATX-310WB&P4 PFC	OK	220V
HEC	HEC-350LD-T	OK	
IN WIN	(IPS-1805AV-P2)	OK	
	(IW-P300A2-0)	OK	
L&C	LC-A235ATX	OK	
	LC-B300ATX	OK	
PSTK300W	ATX-300I-102	OK	
Seasonic	SS-300FS	OK	
	SS-350FS	OK	

	SS-300SGX	OK	
	SS-350SGX	OK	220V
Seventeam	ST-300BLP	OK	
	ST-300WAP	OK	
	ST-350WAP	OK	
	ST-350BKP	OK	220V
	ST-350BKV	OK	
	ST-522HLP	OK	

Model		Result	Remarks
Snake	TC-400P	OK	
SPARKLE	ATX-300GT	OK	
TTGI	TT-400SS	OK	
Tiger	FA-250N10	OK	
	FV-300N20	OK	
Wintech	Win-400PS	OK	
	Win-350PS	OK	
技展	300PX(3C)	OK	220V
酷龍	JR-300ATX	OK	220V